

BALDRIDGE BROS. 2017 YEARLING BULLS ULTRASOUND / ADJ Yearling Wt. & Scrotal												
					/-----Ultrasound Information----- \							
Lot #	Tag	YR Adj WT	YR Ratio	YR Adj SC	USND Adj PCT IMF	USND PCT IMF Ratio	USND Adj Ribeye	USND RE Ratio	USND Adj Rib Fat	USND Rib Fat Ratio		
14	D776	1219	100	34.77	6.41	108	12.4	91	0.26	84		
15	D777	1258	100	34.86	5.50	93	13.7	101	0.26	84		
16	D008	<b>OUT</b>										
17	D021	1260	101	42.40	7.15	116	13.5	94	0.46	121		
18	D034	1240	99	34.44	5.26	85	15.5	108	0.49	129		
19	D042	1326	106	34.97	6.18	100	13.5	94	0.49	129		
20	D060	1188	95	35.53	6.02	98	14.2	99	0.31	82		
21	D065	1343	107	35.03	8.34	135	13.8	97	0.23	61		
22	D066	1272	102	36.56	7.22	117	14.2	99	0.32	84		
23	D068	1153	92	38.59	6.19	100	13.0	91	0.47	124		
24	D081	1260	101	37.31	6.92	112	13.9	97	0.38	100		
25	D086	1203	96	34.45	6.22	101	15.8	110	0.36	95		
26	D089	1387	111	37.97	7.59	123	15.5	108	0.37	97		
27	D099	1445	115	37.13	5.91	96	16.1	113	0.51	134		
28	D111	1271	101	35.89	7.55	122	14.3	100	0.44	116		
29	D112	1182	94	35.23	8.21	133	13.7	96	0.40	105		
30	D123	1267	101	37.86	5.37	87	14.5	101	0.38	100		
31	D129	1245	99	37.72	7.00	113	15.6	109	0.32	84		
32	D131	1184	95	35.45	6.18	100	14.7	103	0.33	87		
33	D132	1269	101	40.95	7.90	128	14.1	99	0.42	111		
34	D138	1200	96	38.85	7.63	124	12.1	85	0.35	92		
35	D781	1275	108	38.60	5.83	99	15.2	110	0.30	100		
36	D785	1218	104	34.94	<b>Too young for ultrasound information.</b>							
37	D795	1185	100	34.02	6.84	115	15.3	113	0.36	116		
38	D002	1286	102	39.02	6.18	101	14.5	97	0.35	100		
39	D004	1210	96	37.04	4.92	81	14.5	97	0.46	131		
40	D009	1176	93	34.88	6.52	107	14.2	95	0.27	77		
41	D010	1348	107	38.18	7.64	125	15.1	101	0.40	114		
42	D012	1269	101	39.78	6.61	108	15.0	101	0.43	123		
43	D028	1359	108	38.37	5.98	98	15.7	105	0.42	120		
44	D050	<b>OUT</b>										
45	D085	1181	94	38.57	7.33	119	12.6	88	0.32	84		
45A	D708	1257	100	31.67	6.85	111	16.9	118	0.36	100		
46	D709	1286	100	37.24	6.20	101	13.4	94	0.36	100		
47	D710	1244	100	34.36	5.90	96	16.1	113	0.46	128		
48	D711	1190	100	34.10	6.65	108	15.5	108	0.30	83		
49	D713	1348	109	36.11	5.95	84	15.3	105	0.33	92		
50	D714	1212	98	35.81	7.92	111	13.8	95	0.41	114		
51	D715	1173	95	37.71	7.50	105	14.6	100	0.35	97		
52	D022	1237	98	39.90	7.01	115	15.1	101	0.32	91		
53	D035	1293	103	38.34	4.86	80	15.3	103	0.29	83		
54	D107	1291	103	32.70	5.16	84	16.6	111	0.33	94		
55	D126	<b>OUT</b>										
97	D762	1367	100	38.36	5.92	96	15.4	111	0.40	98		
98	D763	1331	100	34.36	5.79	94	13.7	99	0.41	100		
99	D764	1288	100	34.77	6.89	112	13.7	99	0.56	137		
100	D765	1302	100	37.86	6.25	101	12.4	89	0.34	83		
101	D766	1278	100	35.83	6.41	104	13.7	99	0.34	83		
110	D029	1344	107	36.57	6.14	100	13.6	95	0.56	147		
111	D037	1316	105	40.64	5.73	93	14.2	99	0.38	100		
112	D047	1387	110	38.86	5.64	91	14.8	103	0.45	118		

BALDRIDGE BROS. 2017 YEARLING BULLS ULTRASOUND / ADJ Yearling Wt. & Scrotal										
					/-----Ultrasound Information----- \					
Lot #	Tag	YR Adj WT	YR Ratio	YR Adj SC	USND Adj PCT IMF	USND PCT IMF Ratio	USND Adj Ribeye	USND RE Ratio	USND Adj Rib Fat	USND Rib Fat Ratio
113	D049	1135	91	35.47	7.59	123	12.5	87	0.40	105
114	D052	1317	105	35.97	6.06	98	13.5	94	0.54	142
115	D721	1264	100	34.86	5.85	95	16.7	117	0.31	86
116	D722	1341	100	32.30	5.67	92	15.8	110	0.33	92
117	D723	1409	100	36.30	5.71	93	14.5	101	0.31	86
118	D724	1375	100	38.60	7.35	119	15.6	109	0.36	100
119	D725	1252	100	36.24	6.11	99	14.0	98	0.44	122
120	D728	1292	100	34.50	5.53	90	14.3	100	0.38	106
121	D729	1255	100	36.29	5.91	96	14.2	99	0.36	100
122	D730	1285	100	34.06	6.07	99	13.3	93	0.38	106
123	D731	1204	100	35.96	7.13	116	13.4	94	0.41	114
124	D732	1252	100	37.86	6.41	104	13.7	96	0.32	89
125	D733	1132	100	34.12	6.89	112	12.3	86	0.30	83
131	D019	1205	96	43.37	6.12	99	15.5	108	0.22	58
132	D023	1307	105	38.20	6.59	107	14.8	103	0.46	121
133	D013	1342	107	39.81	6.56	106	17.1	120	0.50	132
134	D054	1157	92	35.99	5.93	96	12.5	87	0.31	82
135	D056	<b>OUT</b>								
136	D059	1095	87	36.00	4.10	66	13.2	92	0.31	82
137	D061	1214	97	35.33	5.91	96	13.3	93	0.30	79
138	D062	1090	87	36.50	6.05	98	13.0	91	0.34	89
139	D070	1266	101	36.82	7.11	115	13.2	92	0.29	76
140	D104	<b>OUT</b>								
141	D125	1230	98	34.89	6.56	106	14.2	99	0.27	71
142	D130	1280	102	40.25	6.84	111	15.8	110	0.36	95
143	D779	1194	102	38.06	<b>Too young for ultrasound information.</b>					
144	D784	1224	104	38.61	7.14	121	12.9	93	0.42	140
145	D741	1204	100	36.56	7.39	112	13.3	99	0.34	85
146	D742	1253	100	37.40	6.53	99	14.6	108	0.34	85
147	D743	1241	100	38.09	6.72	102	12.9	96	0.40	100
148	D744	1285	100	34.72	6.15	93	15.2	113	0.56	140
149	D745	1194	100	37.63	6.74	102	12.7	94	0.52	130
150	D746	1171	100	35.06	7.13	108	13.7	101	0.39	98
151	D747	1108	100	37.67	6.12	93	12.2	90	0.31	78
152	D748	1440	100	36.01	<b>Too young for ultrasound information.</b>					
153	D735	1311	100	35.46	5.92	96	14.0	98	0.39	108
154	D736	1311	100	38.40	5.88	89	13.5	100	0.33	83
155	D737	1079	100	34.06	5.12	83	12.4	87	0.34	94
156	D738	1239	100	34.77	6.75	110	14.1	99	0.33	92
157	D768	1428	100	35.56	6.42	108	14.0	103	0.50	161
158	D769	1356	100	35.80	6.26	100	13.8	100	0.45	100
159	D770	1403	100	34.56	6.10	99	13.7	99	0.39	95
160	D771	1376	100	34.74	5.91	96	14.8	106	0.49	120
161	D772	1268	100	34.46	7.85	127	13.6	98	0.46	112
162	D773	1202	100	34.30	5.93	96	14.0	101	0.40	98
163	D774	1138	100	36.70	6.77	110	14.0	101	0.38	93
181	D083	1283	102	38.85	7.40	120	13.4	94	0.50	132
182	D001	1323	105	37.35	4.06	66	14.4	101	0.33	87
186	D114	1321	105	39.43	4.87	79	15.1	106	0.31	82
198	D072	1418	113	35.66	6.21	101	15.6	109	0.33	87
199	D780	1184	101	38.26	5.94	101	14.2	103	0.21	70

<b>BALDRIDGE BROS. 2017 YEARLING BULLS ULTRASOUND / ADJ Yearling Wt. &amp; Scrotal</b>										
					/-----Ultrasound Information----- \					
<b>Lot #</b>	<b>Tag</b>	<b>YR Adj WT</b>	<b>YR Ratio</b>	<b>YR Adj SC</b>	<b>USND Adj PCT IMF</b>	<b>USND PCT IMF Ratio</b>	<b>USND Adj Ribeye</b>	<b>USND RE Ratio</b>	<b>USND Adj Rib Fat</b>	<b>USND Rib Fat Ratio</b>
200	D782	1222	104	37.02	5.44	92	13.9	101	0.31	103
214	D791	1310	100	41.41	6.13	100	15.3	100	0.49	100
215	D704	1477	100	35.83	4.34	70	13.6	95	0.56	156
216	D705	1095	100	36.02	5.92	96	13.6	95	0.37	103
251	D039	1088	87	36.96	5.17	84	14.6	102	0.38	100
252	D040	1165	93	35.46	7.53	122	14.3	100	0.39	103
253	D044	1159	92	35.46	5.49	89	15.1	106	0.45	118
254	D045	1218	97	35.96	4.81	78	14.7	103	0.33	87
255	D069	1246	99	39.09	6.38	103	12.8	90	0.47	124
256	D073	1442	115	42.85	5.49	89	14.4	101	0.37	97
257	D075	1230	98	35.09	5.78	94	12.9	90	0.39	103
258	D077	1319	105	36.72	6.77	110	15.3	107	0.35	92
259	D087	1157	100	34.64	5.99	100	12.9	100	0.32	100
260	D118	1235	99	35.27	4.72	76	14.3	100	0.36	95
261	D121	1374	110	41.53	4.02	65	16.7	117	0.57	150
262	D133	1233	99	34.96	4.74	77	15.4	108	0.33	87
263	D139	1088	87	36.62	4.91	80	12.7	89	0.30	79
264	D144	1314	105	35.01	4.88	79	17.3	121	0.42	111
265	D716	1259	100	36.43	6.77	110	15.5	108	0.41	114
266	D717	1263	100	36.47	6.42	104	14.1	99	0.28	78
267	D718	1098	100	35.53	6.51	106	14.1	99	0.36	100
268	D719	1180	100	34.70	6.53	106	14.1	99	0.42	117
270	D783	<b>OUT</b>								
271	D786	1111	95	34.94	<b>Too young for ultrasound information.</b>					
272	D788	1085	100	37.31	<b>Too young for ultrasound information.</b>					
273	D789	1257	100	35.31	<b>Too young for ultrasound information.</b>					
274	D790	1183	100	38.88	<b>Too young for ultrasound information.</b>					
294	D787	<b>OUT</b>								
309	D778	1174	100	34.91	5.92	100	11.8	86	0.30	100
310	D792	<b>OUT</b>								
310A	D793	1226	104	36.60	4.34	73	16.2	117	0.28	93
317	D046	1177	94	37.44	6.02	98	14.1	99	0.31	82
318	D140	1163	93	37.11	7.67	124	12.9	90	0.31	82
328	D090	1204	96	38.15	3.83	62	14.7	103	0.31	82
329	D098	1261	100	38.11	4.20	100	15.1	100	0.38	100
330	D756	1379	100	37.60	3.92	64	14.3	103	0.31	76
331	D024	1171	93	37.90	4.07	66	14.7	103	0.35	92
332	D055	1294	103	34.99	6.31	102	14.9	104	0.31	82
333	D122	1319	105	42.36	6.23	101	14.8	103	0.37	97
334	D145	1367	109	36.40	7.37	119	14.9	104	0.35	92
335	D701	1311	100	36.18	6.49	105	13.6	95	0.32	89
336	D702	<b>OUT</b>								
341	D794	1042	100	38.25	4.52	76	12.7	93	0.16	52
342	D148	1159	100	35.47	<b>Too young for ultrasound information.</b>					